



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/550,639	07/10/2006	Petrus Martinus Leonardus Beks	F3332(C)	1939
201 7590 10/27/2008 UNILEVER PATENT GROUP 800 SYLVAN AVENUE AG West S. Wing ENGLEWOOD CLIFFS, NJ 07632-3100				
EXAMINER TAPOCAL, WILLIAM E				
ART UNIT		PAPER NUMBER		
3744				
MAIL DATE		DELIVERY MODE		
10/27/2008		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

1. Applicant's arguments filed October 9, 2008 have been fully considered but they are not persuasive. The Examiner has clearly met all of the structural limitations of claim 1 in U.S. Patent No. 1,847,544 to Weber. The only claimed differences between the structure recited in claim 1 and Weber are the temperature differences between the freezer cabinet 2 and the external housing 1, and the housing 1 being removable from the cabinet. The temperature differences are considered to be a matter of obvious choice to one of ordinary skill in the art. It is extremely well known to provide a refrigerator cabinet with two compartments and different temperatures in the compartments. For example, household refrigerators routinely have a fresh food compartment and a freezer compartment, each having its own operating temperature different from each other. Applicant has not provided any showing of criticality or unexpected results that would render the claimed temperature differences more than a mere matter of obvious choice to one of ordinary skill in the refrigeration art.
2. Regarding the claimed limitation of the display and dispensing assembly being removable from the freezer cabinet, this is considered to be obvious to one of ordinary skill in the art in the respect that any two compartments can be removed or separated from each other, and then joined back together.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William E. Tapolcai whose telephone number is (571) 272-4814. The examiner can normally be reached on Mon. - Thurs., 6:30 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl J. Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/William E. Tapolcai/  
Primary Examiner, Art Unit 3744

wet  
October 23, 2008